


# Computer Graphics (CS 543)

## Lecture 12c: Rasterization: Line Drawing

Prof Emmanuel Agu


*Computer Science Dept.  
Worcester Polytechnic Institute (WPI)*





# Rasterization

- Rasterization generates set of **fragments**
- Implemented by graphics hardware
- Rasterization algorithms for primitives (e.g lines, circles, triangles, polygons)




Fragments

**Rasterization: Determine Pixels  
(fragments) each primitive covers**



# Line drawing algorithm

- Programmer specifies  $(x,y)$  of end pixels
- Need algorithm to determine pixels on line path




Line:  $(3,2) \rightarrow (9,6)$

Which intermediate pixels to turn on?



# Line drawing algorithm

- Pixel  $(x,y)$  values constrained to integer values
- Computed intermediate values may be floats
- Rounding may be required. E.g.  $(10.48, 20.51)$  rounded to  $(10, 21)$
- Rounded pixel value is off actual line path (jaggy!!)
- Sloped lines end up having jaggies
- Vertical, horizontal lines, no jaggies






# Line Drawing Algorithm

- Slope-intercept line equation

- $y = mx + b$
- Given 2 end points  $(x_0, y_0)$ ,  $(x_1, y_1)$ , how to compute  $m$  and  $b$ ?

$$m = \frac{dy}{dx} = \frac{y_1 - y_0}{x_1 - x_0}$$


$$y_0 = m * x_0 + b$$
$$\Rightarrow b = y_0 - m * x_0$$





# Line Drawing Algorithm

- Numerical example of finding slope  $m$ :
  - $(A_x, A_y) = (23, 41)$ ,  $(B_x, B_y) = (125, 96)$





$$m = \frac{B_y - A_y}{B_x - A_x} = \frac{96 - 41}{125 - 23} = \frac{55}{102} = 0.5392$$



# Digital Differential Analyzer (DDA): Line Drawing Algorithm

Consider slope of line,  $m$ :




- Step through line, starting at  $(x_0, y_0)$
- **Case a: ( $m < 1$ )** x incrementing faster
  - Step in  $x=1$  increments, compute  $y$  (a fraction) and round
- **Case b: ( $m > 1$ )** y incrementing faster
  - Step in  $y=1$  increments, compute  $x$  (a fraction) and round



# DDA Line Drawing Algorithm (Case a: $m < 1$ )

$$m = \frac{\Delta y}{\Delta x} = \frac{y_{k+1} - y_k}{x_{k+1} - x_k} = \frac{y_{k+1} - y_k}{1}$$

$$\Rightarrow y_{k+1} = y_k + m$$



$x = x_0$                        $y = y_0$

Illuminate pixel  $(x, \text{round}(y))$

$x = x + 1$                        $y = y + m$

Illuminate pixel  $(x, \text{round}(y))$

$x = x + 1$                        $y = y + m$

Illuminate pixel  $(x, \text{round}(y))$

...

Until  $x == x_1$

Example, if first end point is  $(0,0)$

Example, if  $m = 0.2$

Step 1:  $x = 1, y = 0.2 \Rightarrow$  shade  $(1,0)$


Step 2:  $x = 2, y = 0.4 \Rightarrow$  shade  $(2, 0)$

Step 3:  $x = 3, y = 0.6 \Rightarrow$  shade  $(3, 1)$

... etc




# DDA Line Drawing Algorithm (Case b: $m > 1$ )



$$m = \frac{\Delta y}{\Delta x} = \frac{y_{k+1} - y_k}{x_{k+1} - x_k} = \frac{1}{x_{k+1} - x_k}$$

$$\Rightarrow x_{k+1} = x_k + \frac{1}{m}$$



$x = x_0$

$y = y_0$

Illuminate pixel (round( $x$ ),  $y$ )

$y = y + 1$

$x = x + 1/m$

Illuminate pixel (round( $x$ ),  $y$ )

$y = y + 1$

$x = x + 1/m$

Illuminate pixel (round( $x$ ),  $y$ )

...

Until  $y == y_1$

Example, if first end point is (0,0)

if  $1/m = 0.2$

Step 1:  $y = 1, x = 0.2 \Rightarrow$  shade (0,1)

Step 2:  $y = 2, x = 0.4 \Rightarrow$  shade (0, 2)

Step 3:  $y = 3, x = 0.6 \Rightarrow$  shade (1, 3)

... etc



# DDA Line Drawing Algorithm Pseudocode

```
compute m;  
if m < 1:  
{  
    float y = y0;          // initial value  
    for(int x = x0; x <= x1; x++, y += m)  
        setPixel(x, round(y));  
}  
else // m > 1  
{  
    float x = x0;          // initial value  
    for(int y = y0; y <= y1; y++, x += 1/m)  
        setPixel(round(x), y);  
}
```

- **Note:** `setPixel(x, y)` writes current color into pixel (x,y) in frame buffer

# Line Drawing Algorithm Drawbacks




- DDA is the simplest line drawing algorithm
  - Not very efficient
  - Round operation is expensive
- Optimized algorithms typically used.
  - Integer DDA
  - E.g. Bresenham algorithm
- Bresenham algorithm
  - Incremental algorithm: current value uses previous value
  - Integers only: avoid floating point arithmetic
  - Several versions of algorithm: we'll describe midpoint version of algorithm



# Bresenham's Line-Drawing Algorithm


Ref: Computer Graphics using OpenGL (3<sup>rd</sup> edition) by F.S. Hill and Kelley

- **Problem:** Given endpoints  $(A_x, A_y)$  and  $(B_x, B_y)$  of line, determine intervening pixels
- First make two simplifying assumptions (remove later):
  - $(A_x < B_x)$  and
  - $(0 < m < 1)$
- Define
  - Width  $W = B_x - A_x$
  - Height  $H = B_y - A_y$





# Bresenham's Line-Drawing Algorithm



- Based on assumptions  $(A_x < B_x)$  and  $(0 < m < 1)$ 
  - $W, H$  are +ve
  - $H < W$
- Increment  $x$  by  $+1$ ,  $y$  incr by  $+1$  or stays same
- Midpoint algorithm determines which happens




# Bresenham's Line-Drawing Algorithm

What Pixels to turn on or off?

Consider pixel midpoint  $M(M_x, M_y) = (x + 1, y + \frac{1}{2})$

Build equation of actual line, compare to midpoint






# Build Equation of the Line

- Using similar triangles:

$$\frac{y - Ay}{x - Ax} = \frac{H}{W}$$



$$H(x - Ax) = W(y - Ay)$$

$$-W(y - Ay) + H(x - Ax) = 0$$

- Above is equation of line from  $(Ax, Ay)$  to  $(Bx, By)$
- Thus, any point  $(x, y)$  that lies on ideal line makes eqn = 0
- Double expression (to avoid floats later), and call it  $F(x, y)$

$$F(x, y) = -2W(y - Ay) + 2H(x - Ax)$$



# Bresenham's Line-Drawing Algorithm

- So,  $F(x,y) = -2W(y - Ay) + 2H(x - Ax)$
- Algorithm, If:
  - $F(x, y) < 0$ ,  $(x, y)$  above line
  - $F(x, y) > 0$ ,  $(x, y)$  below line
- **Hint:**  $F(x, y) = 0$  is on line
- Increase  $y$  keeping  $x$  constant,  $F(x, y)$  becomes more negative






# Bresenham's Line-Drawing Algorithm

- **Example:** to find line segment between (3, 7) and (9, 11)

$$\begin{aligned} F(x,y) &= -2W(y - Ay) + 2H(x - Ax) \\ &= (-12)(y - 7) + (8)(x - 3) \end{aligned}$$

- For points on line. E.g. (7, 29/3),  $F(x, y) = 0$
- A = (4, 4) lies below line since  $F = 44$
- B = (5, 9) lies above line since  $F = -8$






# Bresenham's Line-Drawing Algorithm

What Pixels to turn on or off?

Consider pixel midpoint  $M(M_x, M_y) = (x_0 + 1, y_0 + \frac{1}{2})$





# Can compute $F(x,y)$ incrementally

Initially, midpoint  $M = (Ax + 1, Ay + \frac{1}{2})$

$$F(Mx, My) = -2W(y - Ay) + 2H(x - Ax)$$


i.e.  $F(Ax + 1, Ay + \frac{1}{2}) = 2H - W$

Can compute  $F(x,y)$  for next midpoint incrementally

If we increment to  $(x + 1, y)$ , compute new  $F(Mx, My)$

$$F(Mx, My) += 2H$$

i.e.  $F(Ax + 2, Ay + \frac{1}{2})$   
 $- F(Ax + 1, Ay + \frac{1}{2})$   
 $= 2H$






# Can compute $F(x,y)$ incrementally

If we increment to  $(x + 1, y + 1)$

$$F(Mx, My) += 2(H - W)$$

i.e.  $F(Ax + 2, Ay + 3/2) - F(Ax + 1, Ay + 1/2) = 2(H - W)$



# Bresenham's Line-Drawing Algorithm



```
Bresenham(IntPoint a, InPoint b)
{ // restriction: a.x < b.x and 0 < H/W < 1
  int y = a.y, W = b.x - a.x, H = b.y - a.y;
  int F = 2 * H - W; // current error term
  for(int x = a.x; x <= b.x; x++)
  {
    setpixel at (x, y); // to desired color value
    if F < 0 // y stays same
      F = F + 2H;
    else{
      Y++, F = F + 2(H - W) // increment y
    }
  }
}
```

- Recall: F is equation of line

# Bresenham's Line-Drawing Algorithm



- Final words: we developed algorithm with restrictions  
 $0 < m < 1$  and  $Ax < Bx$
- Can add code to remove restrictions
  - When  $Ax > Bx$  (swap and draw)
  - Lines having  $m > 1$  (interchange  $x$  with  $y$ )
  - Lines with  $m < 0$  (step  $x++$ , decrement  $y$  not incr)
  - Horizontal and vertical lines (pretest  $a.x = b.x$  and skip tests)



# References

- Angel and Shreiner, Interactive Computer Graphics, 6<sup>th</sup> edition
- Hill and Kelley, Computer Graphics using OpenGL, 3<sup>rd</sup> edition, Chapter 9