

CS2102: Lecture on Abstract Classes and Inheritance

Kathi Fisler

How to Use These Slides

These slides walk you through how to share common code (i.e., create helper methods) across classes

- I recommend you download the starter file (posted to the website) and make the edits in the slides, step by step, to see what happens for yourself
- In the slides, green highlights what changed in the code from the previous slide; yellow highlights show Java compile errors
- Note any questions, and ask on the board or in the lecture-time chat

Back to the Animals (code we had last week)

```
interface IAnimal {  
    // determine whether animal's length  
    // is within normal boundaries  
    boolean isNormalSize();  
}
```

Notice the almost identical code

```
class Dillo implements IAnimal {  
    int length;  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        this.length = length;  
        this.isDead = isDead;  
    }  
}
```

```
class Boa implements IAnimal {  
    int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }  
}
```

```
// determine whether this dillo's  
// length is between 2 and 3  
public boolean isNormalSize () {  
    return 2 <= this.length &&  
           this.length <= 3 ;  
}
```

```
// determine whether this boa's  
// length is between 5 and 10  
public boolean isNormalSize () {  
    return 5 <= this.length &&  
           this.length <= 10 ;  
}
```

We should create a helper method, but where can we put it? (remember, all methods must be in a class)

Notice the almost identical code

```
interface IAnimal {  
    // determine whether animal's length  
    // is within normal boundaries  
    boolean isNormalSize();  
}
```

```
class Dillo implements IAnimal {  
    int length;  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        this.length = length;  
        this.isDead = isDead;  
    }  
}
```

```
// determine whether this dillo's  
// length is between 2 and 3  
public boolean isNormalSize () {  
    return 2 <= this.length &&  
           this.length <= 3 ;  
}
```

```
class Boa implements IAnimal {  
    int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }  
}
```

```
// determine whether this boa's  
// length is between 5 and 10  
public boolean isNormalSize () {  
    return 5 <= this.length &&  
           this.length <= 10 ;  
}
```

We will create a new class that *abstracts* over the common features of Dillo and Boa.

We'll call the new class
AbsAnimal
("abs" for abstract)

```
class AbsAnimal {  
  
}
```

```
class Dillo implements IAnimal {  
    int length;  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        this.length = length;  
        this.isDead = isDead;  
    }  
}
```

```
// determine whether this dillo's  
// length is between 2 and 3  
public boolean isNormalSize () {  
    return 2 <= this.length &&  
           this.length <= 3 ;  
}
```

```
class Boa implements IAnimal {  
    int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }  
}
```

```
// determine whether this boa's  
// length is between 5 and 10  
public boolean isNormalSize () {  
    return 5 <= this.length &&  
           this.length <= 10 ;  
}
```

We will put a helper method for `isNormalSize` in `AbsAnimal`.

We call the helper `isLenWithin`; it takes the varying low and high values as inputs (but otherwise copies the common code, as usual when making a helper)

```
boolean isDead,
```

```
Dillo(int length, boolean isDead) {  
    this.length = length;  
    this.isDead = isDead;  
}
```

```
// determine whether this dillo's  
// length is between 2 and 3  
public boolean isNormalSize () {  
    return 2 <= this.length &&  
           this.length <= 3 ;  
}
```

```
class AbsAnimal {  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                          int high) {  
        return low <= this.length &&  
               this.length <= high ;  
    }  
}
```

```
class Boa implements IAnimal {  
    int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }
```

```
// determine whether this boa's  
// length is between 5 and 10  
public boolean isNormalSize () {  
    return 5 <= this.length &&  
           this.length <= 10 ;  
}
```

Next, we rewrite the original `isNormalSize` methods to call the helper method

```
interface IAnimal {  
    // determine whether animal's length  
    // is within normal boundaries  
    boolean isNormalSize();  
}
```

```
class AbsAnimal {  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                        int high) {  
        return low <= this.length &&  
            this.length <= high ;  
    }  
}
```

```
class Dillo implements IAnimal {  
    int length;  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        this.length = length;  
        this.isDead = isDead;  
    }  
  
    // determine whether this dillo's  
    // length is between 2 and 3  
    public boolean isNormalSize () {  
        return isLenWithin(2,3);  
    }  
}
```

```
class Boa implements IAnimal {  
    int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }  
  
    // determine whether this boa's  
    // length is between 5 and 10  
    public boolean isNormalSize () {  
        return isLenWithin(5,10);  
    }  
}
```

This is the right idea, but if we compile the Dillo and Boa classes, Java will complain that `isLenWithin` isn't defined.

```
// determine whether animal's length
// is within normal boundaries
boolean isNormalSize();
}
```

```
class AbsAnimal {
    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
               this.length <= high ;
    }
}
```

```
class Dillo implements IAnimal {
    int length;
    boolean isDead;

    Dillo(int length, boolean isDead) {
        this.length = length;
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class Boa implements IAnimal {
    int length;
    String eats;

    Boa(int length, String eats) {
        this.length = length;
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```


This is the right idea, but if we compile the `Dillo` and `Boa` classes, Java will complain that `isLenWithin` isn't defined.

The problem is that we never connected `Dillo` and `Boa` to `AbsAnimal`.

```
int length;
boolean isDead;

Dillo(int length, boolean isDead) {
    this.length = length;
    this.isDead = isDead;
}

// determine whether this dillo's
// length is between 2 and 3
public boolean isNormalSize () {
    return isLenWithin(2,3);
}
}
```

```
class AbsAnimal {
    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
               this.length <= high ;
    }
}
```

```
class Boa implements IAnimal {
    int length;
    String eats;

    Boa(int length, String eats) {
        this.length = length;
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

We connect Dillo and Boa to AbsAnimal using a new Java keyword, extends, which says that one class (Dillo/Boa) includes the content of another (AbsAnimal)

```
class AbsAnimal {
    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
               this.length <= high ;
    }
}
```

```
class Dillo extends AbsAnimal
    implements IAnimal {
    int length;
    boolean isDead;

    Dillo(int length, boolean isDead) {
        this.length = length;
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class Boa extends AbsAnimal
    implements IAnimal {
    int length;
    String eats;

    Boa(int length, String eats) {
        this.length = length;
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

Now, AbsAnimal won't compile; Java will say that it doesn't have a length variable.

```
interface IAnimal {
    // determine whether animal's length
    // is within normal boundaries
    boolean isNormalSize();
}
```

```
class AbsAnimal {
    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
               this.length <= high ;
    }
}
```

```
class Dillo extends AbsAnimal
    implements IAnimal {
    int length;
    boolean isDead;

    Dillo(int length, boolean isDead) {
        this.length = length;
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class Boa extends AbsAnimal
    implements IAnimal {
    int length;
    String eats;

    Boa(int length, String eats) {
        this.length = length;
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

Now, AbsAnimal won't compile; Java will say that it doesn't have a length variable.

But note that the length variable is also common to Dillo and Boa. It should also have moved to AbsAnimal

```
        implements IAnimal {
    int length;
    boolean isDead;

    Dillo(int length, boolean isDead) {
        this.length = length;
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class AbsAnimal {
    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

```
class Boa extends AbsAnimal
    implements IAnimal {
    int length;
    String eats;

    Boa(int length, String eats) {
        this.length = length;
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

Now, AbsAnimal won't compile; Java will say that it doesn't have a length variable.

But note that the length variable is also common to Dillo and Boa. It should also have moved to AbsAnimal

```
        implements IAnimal {  
int length;  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        this.length = length;  
        this.isDead = isDead;  
    }  
  
    // determine whether this dillo's  
    // length is between 2 and 3  
    public boolean isNormalSize () {  
        return isLenWithin(2,3);  
    }  
}
```

```
class AbsAnimal {  
    int length;  
  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                        int high) {  
        return low <= this.length &&  
            this.length <= high ;  
    }  
}
```

```
class Boa extends AbsAnimal  
    implements IAnimal {  
int length;  
    String eats;  
  
    Boa(int length, String eats) {  
        this.length = length;  
        this.eats = eats;  
    }  
  
    // determine whether this boa's  
    // length is between 5 and 10  
    public boolean isNormalSize () {  
        return isLenWithin(5,10);  
    }  
}
```

We need to add a constructor to `AbsAnimal`, and have it set the value of `length`

[For sake of space, we will hide the `Boa` class (edits to `Dillo` apply to `Boa` as well)]

```
class Dillo extends AbsAnimal
    implements IAnimal {
    boolean isDead;

    Dillo(int length, boolean isDead) {
        this.length = length;
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class AbsAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

Notice that we removed the `length` variable from `Dillo`

We need to add a constructor to `AbsAnimal`, and have it set the value of `length`

```
interface IAnimal {  
    // determine whether animal's length  
    // is within normal boundaries  
    boolean isNormalSize();  
}
```

```
class Dillo extends AbsAnimal  
    implements IAnimal {  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        super(length);  
        this.isDead = isDead;  
    }  
  
    // determine whether this dillo's  
    // length is between 2 and 3  
    public boolean isNormalSize () {  
        return isLenWithin(2,3);  
    }  
}
```

```
class AbsAnimal {  
    int length;  
  
    // constructor  
    AbsAnimal(int length) {  
        this.length = length;  
    }  
  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                        int high) {  
        return low <= this.length &&  
            this.length <= high ;  
    }  
}
```

Notice that we removed the `length` variable from `Dillo`

The `Dillo` constructor needs to send the `length` value to the `AbsAnimal` constructor

In Java, `super` refers to the constructor for the class that this class extends; inside `Dillo`, `super` calls the `AbsAnimal` constructor.

```
boolean isNormalSize();
```

```
class Dillo extends AbsAnimal
    implements IAnimal {
    boolean isDead;

    Dillo(int length, boolean isDead) {
        super(length);
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class AbsAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

Notice that we removed the `length` variable from `Dillo`

The `Dillo` constructor needs to send the `length` value to the `AbsAnimal` constructor

In Java, `super` refers to the constructor for the class that this class extends; inside `Dillo`, `super` calls the `AbsAnimal` constructor.

```
boolean isNormalSize();
```

```
class Dillo extends AbsAnimal
    implements IAnimal {
    boolean isDead;

    Dillo(int length, boolean isDead) {
        super(length);
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class AbsAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

Whenever a class extends another class, its constructor should call `super` before doing anything else (i.e., the call to `super` should be the first statement in the method)

Almost done. Since Dillo and Boa both implement IAnimal, we can move that to AbsAnimal as well

```
// determine whether animal's length  
// is within normal boundaries  
boolean isNormalSize();  
}
```

```
class Dillo extends AbsAnimal  
implements IAnimal {  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        super(length);  
        this.isDead = isDead;  
    }  
  
    // determine whether this dillo's  
    // length is between 2 and 3  
    public boolean isNormalSize () {  
        return isLenWithin(2,3);  
    }  
}
```

```
class AbsAnimal implements IAnimal {  
    int length;  
  
    // constructor  
    AbsAnimal(int length) {  
        this.length = length;  
    }  
  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                          int high) {  
        return low <= this.length &&  
               this.length <= high ;  
    }  
}
```

Here's the final code

```
interface IAnimal {  
    // determine whether animal's length  
    // is within normal boundaries  
    boolean isNormalSize();  
}
```

```
class Dillo extends AbsAnimal {  
    boolean isDead;  
  
    Dillo(int length, boolean isDead) {  
        super(length);  
        this.isDead = isDead;  
    }  
  
    // determine whether this dillo's  
    // length is between 2 and 3  
    public boolean isNormalSize () {  
        return isLenWithin(2,3);  
    }  
}
```

```
class AbsAnimal implements IAnimal {  
    int length;  
  
    // constructor  
    AbsAnimal(int length) {  
        this.length = length;  
    }  
  
    // determine whether animal's  
    // length is between low and high  
    boolean isLenWithin (int low,  
                          int high) {  
        return low <= this.length &&  
            this.length <= high ;  
    }  
}
```

```
class Boa extends AbsAnimal {  
    String eats;  
  
    Boa(int length, String eats) {  
        super(length);  
        this.eats = eats;  
    }  
  
    // determine whether this boa's  
    // length is between 5 and 10  
    public boolean isNormalSize () {  
        return isLenWithin(5,10);  
    }  
}
```

Recap so far

- When multiple classes need to share code (such as a helper method), put that code in a (parent) class that the sharing classes each `extends`
- Common variables and `implements` statements also move to the parent class
- If a class extends another class, its constructor should call `super` (to properly set up the contents of the superclass)
- Classes can use all variables and methods in their superclass

Facts about Extends

- Terminology: If class A extends class B, then (1) B is the *superclass* of A; (2) A is a *subclass* of B; (3) A is also said to *inherit* from B
- Restrictions: A class may have at most one superclass (ie, only `extends` one class), but arbitrarily many subclasses. [In contrast, a class can `implement` arbitrarily many interfaces.]
- Behavior: A class has access to all variables and methods of its superclass (there are exceptions, but we will discuss those later)
- Behavior: A class cannot access the variables or methods of its subclasses

**BUT THERE ARE STILL SOME ISSUES
TO ADDRESS ...**

What if someone writes
`new AbsAnimal(8)?`

What kind of animal does this
yield?

```
boolean isNormalSize();
```

```
class Dillo extends AbsAnimal {
    boolean isDead;

    Dillo(int length, boolean isDead) {
        super(length);
        this.isDead = isDead;
    }

    // determine whether this dillo's
    // length is between 2 and 3
    public boolean isNormalSize () {
        return isLenWithin(2,3);
    }
}
```

```
class AbsAnimal implements IAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

```
class Boa extends AbsAnimal {
    String eats;

    Boa(int length, String eats) {
        super(length);
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

What if someone writes
`new AbsAnimal(8)`?

What kind of animal does this
yield?

It doesn't yield any known (or
meaningful) kind of animal.
`AbsAnimal` is only meant to
hold code, it shouldn't be used
to create objects.

We'd like to tell Java not to let
anyone create objects from
`AbsAnimal`

```
class AbsAnimal implements IAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

```
class Boa extends AbsAnimal {
    String eats;

    Boa(int length, String eats) {
        super(length);
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```


To tell Java not to let anyone create objects from a class, we annotate the class with the keyword `abstract`

Now, the expression `new AbsAnimal(8)` would raise a Java error

Rule of thumb: if a class *only* to hold common code, make it `abstract`

```
// determine whether this dillo's
// length is between 2 and 3
public boolean isNormalSize () {
    return isLenWithin(2,3);
}
}
```

```
abstract class AbsAnimal
    implements IAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

```
class Boa extends AbsAnimal {
    String eats;

    Boa(int length, String eats) {
        super(length);
        this.eats = eats;
    }

    // determine whether this boa's
    // length is between 5 and 10
    public boolean isNormalSize () {
        return isLenWithin(5,10);
    }
}
```

**WHY DO WE NEED BOTH AN
INTERFACE AND AN ABSTRACT
CLASS?**

```
interface IAnimal {
    // determine whether animal's length
    // is within normal boundaries
    boolean isNormalSize();
}
```

Interfaces and abstract classes
serve two very different
purposes

Interfaces are a form of types:
they capture *what* a class must
do, but they do not constrain
how the class does something.
As such, interfaces cannot
contain code (beyond method
input/output types) or variables

Both roles are important, so OO
programs often use both

```
abstract class AbsAnimal
    implements IAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

Abstract classes are for sharing
(abstracting over) data and
code across multiple classes;
they constrain *how* extending
classes organize and use data

```
interface IAnimal {
    // determine whether animal's length
    // is within normal boundaries
    boolean isNormalSize();
}
```

Interfaces and abstract classes
serve two very different
purposes

Imagine that we wanted to add fruit flies to our data. They are too small to have a length. Having `IAnimal` lets us write `isNormalSize` (to always return true) without having to specify a meaningless length value for a fruit fly.

```
abstract class AbsAnimal
    implements IAnimal {
    int length;

    // constructor
    AbsAnimal(int length) {
        this.length = length;
    }

    // determine whether animal's
    // length is between low and high
    boolean isLenWithin (int low,
                        int high) {
        return low <= this.length &&
            this.length <= high ;
    }
}
```

If you already know some Java, you may have been taught to overuse class extension instead of interfaces. Interfaces are proper OO design practice (more on this through 2102)

What you should be able to do now ...

- Use `extends` to share code among classes
- Use `super` in constructors
- Make a class `abstract` to prevent someone from creating objects from it
- Choose between using interfaces and (abstract) classes when designing programs

Some Study Questions

- Why didn't we put `isLenWithin` in `IAnimal`?
- Can `AbsAnimal` refer to the `eats` variable of `Boa`?
- Could we have defined `isNormalSize` directly inside of `AbsAnimal`, instead of writing `isLenWithin`? If so, how?
- If we wanted to write a `doesEatTofu` method on `Boa`, which class should it go into? Should it be mentioned in `IAnimal`?

Experiments to Try on the Code

Edit the posted starter file with the code from these notes, then experiment with the following:

- What error does Java give if you try to extend an interface or implement an abstract class?
- What error does Java give if you try to access a subclass variable in a superclass?
- If you forgot to delete the `int length` line from the `Dillo` class (after adding it to `AbsAnimal`), what would Java do?