



Recall: 6 Main Steps to Apply Texture



1. Create texture object
 2. Specify the texture
 - Read or generate image
 - assign to texture (hardware) unit
 - enable texturing (turn on)
 3. Assign texture (corners) to Object corners
 4. Specify texture parameters
 - wrapping, filtering
 5. Pass textures to shaders
 6. Apply textures in shaders
- still haven't talked about setting texture parameters




Recall: Step 4: Specify Texture Parameters

- Texture parameters control how texture is applied
 - **Wrapping parameters** used if s, t outside $(0, 1)$ range
 - Clamping:** if $s, t > 1$ use 1, if $s, t < 0$ use 0
 - Wrapping:** use s, t modulo 1

```
glTexParameteri( GL_TEXTURE_2D, GL_TEXTURE_WRAP_S, GL_CLAMP )  
glTexParameteri( GL_TEXTURE_2D, GL_TEXTURE_WRAP_T, GL_REPEAT )
```



GL_REPEAT




GL_CLAMP




Magnification and Minification

Magnification: Stretch small texture to fill many pixels

Minification: Shrink large texture to fit few pixels





Texture Polygon
Magnification




Texture Polygon
Minification

Step 4: Specify Texture Parameters


Texture Value Lookup



How about coordinates that are not exactly at the intersection (pixel) positions?



- A) Nearest neighbor
- B) Linear Interpolation
- C) Other filters



Example: Texture Magnification

- 48 x 48 image projected (stretched) onto 320 x 320 pixels

Nearest neighbor filter



Bilinear filter
(avg 4 nearest texels)




Cubic filter
(weighted avg. 5 nearest texels)






Texture mapping parameters

1) Nearest Neighbor (lower image quality)



2) Linear interpolate the neighbors (better quality, slower)



```
glTexParameteri(GL_TEXTURE_2D,  
GL_TEXTURE_MIN_FILTER, GL_NEAREST);
```


```
glTexParameteri(GL_TEXTURE_2D,  
GL_TEXTURE_MIN_FILTER,  
GL_LINEAR)
```

Or `GL_TEXTURE_MAX_FILTER`




Dealing with Aliasing


- Point sampling of texture can lead to aliasing errors



Area Averaging



Better but slower option is *area averaging*





Other Stuff

- Wrapping texture onto curved surfaces. E.g. cylinder, can, etc

$$s = \frac{\theta - \theta_a}{\theta_b - \theta_a} \qquad t = \frac{z - z_a}{z_b - z_a}$$

- Wrapping texture onto sphere

$$s = \frac{\theta - \theta_a}{\theta_b - \theta_a} \qquad t = \frac{\phi - \phi_a}{\phi_b - \phi_a}$$


- Bump mapping: perturb surface normal by a quantity proportional to texture

Computer Graphics (CS 4731)


Lecture 18: Environment Mapping (Reflections and Refractions)

Prof Emmanuel Agu
(Adapted from slides by Ed Angel)


*Computer Science Dept.
Worcester Polytechnic Institute (WPI)*



Environment Mapping



- Environmental mapping is way to create the appearance of highly **reflective** and **refractive** surfaces without ray tracing







Types of Environment Maps

- Assumes environment infinitely far away
- Options: Store “object’s environment as

a) Sphere around object (sphere map)




b) Cube around object (cube map)



- OpenGL supports **cube maps** and **sphere maps**




Cube mapping





- Need to compute reflection vector, \mathbf{r}
- Use \mathbf{r} by for environment map lookup


Cube Map: How to Store



- Stores “**environment**” around objects as 6 sides of a cube (1 texture)
- Load 6 textures separately into 1 OpenGL cubemap



Cube Maps



- Loaded cube map texture can be accessed in GLSL through cubemap sampler



```
vec4 texColor = textureCube(mycube, texcoord);
```

- Texture coordinates must be 3D (x, y, z)



Creating Cube Map

- Use 6 cameras directions from scene center
 - each with a 90 degree angle of view



Indexing into Cube Map



- Compute $\mathbf{R} = 2(\mathbf{N} \cdot \mathbf{V})\mathbf{N} - \mathbf{V}$


- Object at origin

- Perform lookup:

```
vec4 texColor = textureCube(mycube, R);
```

- **Largest magnitude component of R**
(x,y,z) used to determine face of cube

- Other 2 components give
texture coordinates



More on this later....



Declaring Cube Maps in OpenGL

```
glTextureMap2D(GL_TEXTURE_CUBE_MAP_POSITIVE_X, level, rows,  
               columns, border, GL_RGBA, GL_UNSIGNED_BYTE, image1)
```

- Repeat similar for other 5 images (sides)
- Make **1 cubemap texture object from 6 images**
- Parameters apply to all six images. E.g

```
glTexParameteri( GL_TEXTURE_CUBE_MAP,  
                 GL_TEXTURE_MAP_WRAP_S, GL_REPEAT)
```

- **Note:** texture coordinates are in 3D space (s, t, r)



Cube Map Example (init)

```
// colors for sides of cube
GLubyte red[3] = {255, 0, 0};
GLubyte green[3] = {0, 255, 0};
GLubyte blue[3] = {0, 0, 255};
GLubyte cyan[3] = {0, 255, 255};
GLubyte magenta[3] = {255, 0, 255};
GLubyte yellow[3] = {255, 255, 0};

glEnable(GL_TEXTURE_CUBE_MAP);

// Create texture object
glGenTextures(1, tex);
glActiveTexture(GL_TEXTURE1);
glBindTexture(GL_TEXTURE_CUBE_MAP, tex[0]);
```

**This example generates simple
Colors as a texture**

**You can also just load
6 pictures of environment**




Cube Map (init II)

Load 6 different pictures into
1 cube map of environment



```
glTexImage2D(GL_TEXTURE_CUBE_MAP_POSITIVE_X ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, red);
glTexImage2D(GL_TEXTURE_CUBE_MAP_NEGATIVE_X ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, green);
glTexImage2D(GL_TEXTURE_CUBE_MAP_POSITIVE_Y ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, blue);
glTexImage2D(GL_TEXTURE_CUBE_MAP_NEGATIVE_Y ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, cyan);
glTexImage2D(GL_TEXTURE_CUBE_MAP_POSITIVE_Z ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, magenta);
glTexImage2D(GL_TEXTURE_CUBE_MAP_NEGATIVE_Z ,
             0,3,1,1,0,GL_RGB,GL_UNSIGNED_BYTE, yellow);
glTexParameteri(GL_TEXTURE_CUBE_MAP,
                GL_TEXTURE_MAG_FILTER,GL_NEAREST);
```




Cube Map (init III)

```
GLuint texMapLocation;  
GLuint tex[1];
```

```
texMapLocation = glGetUniformLocation(program, "texMap");  
glUniform1i(texMapLocation, tex[0]);
```

Connect texture map (tex[0])
to variable texMap in fragment shader
(texture mapping done in frag shader)



Adding Normals

```
void quad(int a, int b, int c, int d)
{
```

```
    static int i =0;
```

```
    normal = normalize(cross(vertices[b] - vertices[a],
        vertices[c] - vertices[b]));
```


```
    normals[i] = normal;
```


```
    points[i] = vertices[a];
```

```
    i++;
```

```
// rest of data
```

Calculate and set quad normals






Vertex Shader

```
out vec3 R;
in vec4 vPosition;
in vec4 Normal;
uniform mat4 ModelView;
uniform mat4 Projection;

void main() {
    gl_Position = Projection*ModelView*vPosition;
    vec4 eyePos = vPosition;           // calculate view vector V
    vec4 NN = ModelView*Normal;        // transform normal
    vec3 N =normalize(NN.xyz);          // normalize normal
    R = reflect(eyePos.xyz, N);         // calculate reflection vector R
}
```

Fragment Shader



```
in vec3 R;
uniform samplerCube texMap;

void main()
{
    vec4 texColor = textureCube(texMap, R); // look up texture map using R

    gl_FragColor = texColor;
}
```




Refraction using Cube Map

- Can also use cube map for refraction (transparent)



Reflection




Refraction



Reflection and Refraction


- At each vertex

$$I = I_{amb} + I_{diff} + I_{spec} + I_{refl} + I_{tran}$$




- Refracted component I_T is along transmitted direction t

Finding Transmitted (Refracted) Direction




- Transmitted direction obeys **Snell's law**
- Snell's law: relationship holds in diagram below



$$\frac{\sin(\theta_2)}{c_2} = \frac{\sin(\theta_1)}{c_1}$$

c_1, c_2 are speeds of light in medium 1 and 2



Finding Transmitted Direction

- If ray goes from faster to slower medium (e.g. air to glass), ray is bent **towards** normal
- If ray goes from slower to faster medium (e.g. glass to air), ray is bent **away** from normal
- c_1/c_2 is important. Usually measured for medium-to-vacuum. E.g water to vacuum
- Some measured relative c_1/c_2 are:
 - Air: 99.97%
 - Glass: 52.2% to 59%
 - Water: 75.19%
 - Sapphire: 56.50%
 - Diamond: 41.33%




Transmission Angle

- Vector for transmission angle can be found as

$$\mathbf{t} = \frac{c_2}{c_1} \mathbf{dir} + \left(\frac{c_2}{c_1} (\mathbf{m} \cdot \mathbf{dir}) - \cos(\theta_2) \right) \mathbf{m}$$

where

$$\cos(\theta_2) = \sqrt{1 - \left(\frac{c_2}{c_1} \right)^2 (1 - (\mathbf{m} \cdot \mathbf{dir})^2)}$$



Or just use GLSL built-in function `refract` to get T




Refraction Vertex Shader

```
out vec3 T;
in vec4 vPosition;
in vec4 Normal;
uniform mat4 ModelView;
uniform mat4 Projection;

void main() {
    gl_Position = Projection*ModelView*vPosition;
    vec4 eyePos = vPosition;           // calculate view vector V
    vec4 NN = ModelView*Normal;       // transform normal
    vec3 N =normalize(NN.xyz);         // normalize normal
    T = refract(eyePos.xyz, N, iorefr); // calculate refracted vector T
}
```

Was previously `R = reflect(eyePos.xyz, N);`



Refraction Fragment Shader

```
in vec3 T;
uniform samplerCube RefMap;

void main()
{
    vec4 refractColor = textureCube(RefMap, T); // look up texture map using T
    refractcolor = mix(refractColor, WHITE, 0.3); // mix pure color with 0.3 white

    gl_FragColor = refractcolor;
}
```



References

- Interactive Computer Graphics (6th edition), Angel and Shreiner
- Computer Graphics using OpenGL (3rd edition), Hill and Kelley
- Real Time Rendering by Akenine-Moller, Haines and Hoffman