



IMGD 1001 - The Game Development Process: Debugging

by

Robert W. Lindeman (gogo@wpi.edu)

Kent Quirk (kent_quirk@cognitoy.com)

(with lots of input from Mark Claypool!)



Outline

□ Debugging

- Five-step debugging process
- Prevention
- Game Maker specifics
- Debugging tips

Debugging Introduction (1 of 2)

- Debugging is methodical process for removing mistakes in a program
- So important, whole set of tools to help. Called "debuggers"
 - Trace code, print values, profile
 - Integrated Development Environments (IDEs) (such as Game Maker) have one built in
- A good debugger is really useful...

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

3

Based on Chapter 3.5, *Introduction to Game Development*

Debugging Introduction (2 of 2)

- But debugging still frustrating
 - Beginners don't know how to proceed
 - Even advanced can get "stuck"
- Don't know how long it takes to find
 - Variance can be high
 - But can treat them in aggregate for predictions
- What are some tips?
- What methods can be applied?

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

4

The Scientific Method

- Evaluation
- Conjecture
- Deduction
- Test

- Lather, rinse, repeat

- Let's do one

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

5

The Problem: Bubble Sort

- We need a routine to sort a list
- Algorithm:
 - Compare adjacent entries in the list
 - If they're out of order, swap them
 - Move on to the next pair
 - Repeat until the list is sorted
- Yes, this is vague
 - But you might be lucky to get this much description of an algorithm in your code

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

6

Existing Code

```
def bubbleSort(L):
    for i in range(1, len(L) - 1):
        if L[i] >= L[i+1]:
            swap(L, i, i+1)
```

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

7

Step 1: Reproduce the Problem Consistently

- Find case where always occurs
 - Things like: "Sometimes game crashes after kill boss" don't help much
- Identify steps to get to bug
 - Ex: start single player, room 2, jump to top platform, attack left, ...
 - Produces systematic way to reproduce
- Consider record/playback
 - Console developers use videotape!

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

8

Step 2: Collect Clues

- Collect clues as to bug
 - Clues suggest where problem might be
 - Ex: if crash using projectile, what about that code that handles projectile creation and shooting?
- And beware that some clues are false
 - Ex: if bug follows explosion, may think they are related, but may be from something else
- Don't spend too long - get in and observe
 - Ex: crash when shooting arrow. See reference pointer from arrow to unit that shot arrow should get experience points, but it is NULL
 - That's the bug, but why is it NULL?

Step 3: Pinpoint Error

- 1) Propose a hypothesis and prove or disprove
 - Ex: suppose arrow pointer corrupted during flight.
 - Add code to print out values of arrow in air.
 - But equals same value that crashes.
 - -> *Hypothesis is wrong*. But now have new clue!
 - Ex: suppose unit deleted before experience points added. Print out values of all units before fire and after all deleted.
 - -> *Yep, that's it!*
- 2) Binary-search method (note, can use in conjunction with hypothesis test above, too)
 - Sherlock Holmes: "when you have eliminated the impossible, whatever remains, however improbably, must be the truth."
 - Setting breakpoints, look at all values, until discover bug
 - The "divide" part means break it into smaller sections
 - Ex: if crash, put breakpoint 1/2 way. Is it before or after? Repeat.
 - Look for anomalies, NULL or NaN values

Step 4: Repair the Problem

- Propose solution. Exact solution depends upon stage of problem.
 - Ex: late in code cannot change data structures.
Too many other parts use it!
 - Worry about "ripple" effects.
- Ideally, want original coder to fix.
 - If not possible, at least try to talk with original coder for insights.
- Consider other similar cases, even if not yet reported
 - Ex: other projectiles may cause same problem as arrows did

Step 5: Test Solution

- Obvious, but can be overlooked if programmer is "sure" they have fix
 - Programmer can be wrong!
- So, test that solution repairs bug
 - Best by independent tester
- Test if other bugs introduced
 - Beware "ripple" effect

Debugging Prevention

- Use consistent style, variable names
- Indent code, use comments
- Always initialize variables when declared
- Avoid hard-coded constants
 - They make code brittle
- Add infrastructure, tools to assist
 - Alter game variables on fly (speed up)
 - Visual diagnostics (maybe on avatars)
 - Log data (events, units, code, time stamps)
- Avoid identical code
 - Harder to fix if bug found
 - Use a script
- Verify coverage (test all code) when testing

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

13

Game Maker: Print Messages


- Display a Message
 - object → main2 → info
- Or, in code
 - show_message('Executed this code')
 - show_message('num:' + string(number_here))
- Beware if done every step!
 - Save code ahead of time

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

14

Game Maker: Debug Mode

WPI




Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

15

Game Maker: Print Debug Messages

WPI

- ❑ Like `show_message` but in debug mode only
 - Note, doesn't pause
- ❑ In code
 - `show_debug_message` ('Execute this code')
- ❑ Need to run in debug mode
- ❑ Debug Information
 - Tools
 - Show Messages



Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

16

Game Maker: Log Messages

- Write messages to file
- Example:
 - At beginning (maybe create log object)
 - global.log_name = "logfile";
global.fid = file_text_open_write(global.log_name);
 - Then, where needed:
 - file_text_write_string(global.fid,"Debug message here") ;
 - Close when done (object → event other → game end):
 - file_text_close(global.fid)
- More file operations at:
 - http://www.gamemaker.nl/doc/html/410_01_files.html
 - Note: files also useful for save/load game, etc.

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

17

Game Maker: Script/Code Syntax

The screenshot shows the 'Script Properties' dialog box from Game Maker. The script is named 'script0'. The code area contains the following script:

```
{  
x = 1;  
while (x < 10) {  
    x=x+1;  
    oops;  
}  
}
```

At the bottom of the code area, there is a status bar with the text '5/7: 1 | INS | ERROR at line 5 pos 10: Assignment operator expected.' This indicates a syntax error in the script.

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

18

Game Maker: Error Messages (1 of 2)



Pay attention!
Refers to:
-Object
-Event
-Line number
-Variable name

- Help pinpoint problem
 - Refer to object and method and offending code

Game Maker: Error Messages (2 of 2)



- Can write messages to log file
- Can ignore messages
 - Use "error_last" and "error_occurred" for custom handling
 - Typically, use only in release

Debugging Tips (1 of 3)

- *Fix one thing at a time*
 - Don't try to fix multiple problems
- *Change one thing at a time*
 - Tests hypothesis. Change back if doesn't fix problem!
- *Start with simpler case that works*
 - Then add more complex code, one thing at a time
- *Question your assumptions*
 - Don't even assume simple stuff works, or "mature" products
 - Ex: libraries and tutorials can have bugs
- *Minimize interactions*
 - Systems can interfere, make slower so isolate the bug to avoid complications

Debugging Tips (2 of 3)

- *Minimize randomness*
 - Ex: can be caused by random seed or player input. Fix input (script player) so reproducible
- *Break complex calculations into steps*
 - May be equation that is at fault or "cast" badly
- *Check boundary conditions*
 - Classic "off by one" for loops, etc.
- *Use debugger*
 - Breakpoints, memory watches, stack ...
- *Check code recently changed*
 - If bug appears, may be in latest code (not even yours!)

Debugging Tips (3 of 3)

- *Take a break!*
 - Too close, can't see it. Remove to provide fresh prospective
- *Explain bug to someone else*
 - Helps retrace steps, and others provide alternate hypotheses
- *Debug with partner*
 - Provides new techniques
 - Same advantage with code reviews, peer programming
- *Get outside help*
 - Tech support for consoles, Web examples, libraries, ...

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

23

Tough Debugging Scenarios and WPI Patterns (1 of 3)

- Bug in *Release* but not in *Debug*
 - Often in initialized code
 - Or in optimized code
 - Turn on optimizations one-by-one
- Bug in *Hardware* but not in *Dev Kit*
 - Usually dev kit has extra memory (for tracing, etc.). Suggest memory problem (pointers), stack overflow, not checking memory allocation
- Bug Disappears when Changing Something Innocuous
 - Likely timing problem (race condition) or memory problem
 - Even if looks like gone, probably just moved. So keep looking

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science

24

Based on Chapter 3.5, *Introduction to Game Development*

Tough Debugging Scenarios and WPI Patterns (2 of 3)

- Truly Intermittent Problems
 - Maybe best you can do is grab all data values (and stack, etc) and look at ("Send Error Report")
- Unexplainable Behavior
 - Ex: values change without touching.
Usually memory problem. Could be from supporting system. Retry, rebuild, reboot, re-install.

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science 25
Based on Chapter 3.5, *Introduction to Game Development*

Tough Debugging Scenarios and WPI Patterns (3 of 3)

- Bug in Someone Else's Code
 - 'No it is not.' Be persistent with own code first.
 - Find concrete support for your claim!
 - Small reproduction case
 - It's not in hardware
 - Ok, very, very rarely, but expect it not to be, unless you are designing the hardware too!
 - Download latest firmware, drivers
 - If really is, best bet is to help isolate to speed others in fixing it
 - Meanwhile, you probably need to find a workaround or alternative

Lindeman & Quirk (& Claypool) - WPI Dept. of Computer Science 26