




IMGD 3000 - Technical Game Development I: Illumination

by

Robert W. Lindeman
gogo@wpi.edu

3D Illumination and Shading

- ❑ Problem: Model light/surface point interactions to determine final color and brightness
- ❑ Actual light computation is too costly!
- ❑ Apply the lighting model at a set of points across the entire surface




Illumination Model


- The governing principles for computing the illumination
- An illumination model usually considers
 - Light attributes (intensity, color, position, direction, shape)
 - Object surface attributes (color, reflectivity, transparency, *etc.*)
 - Interaction among lights and objects

Basic Light Sources


- Light intensity can be independent or dependent of the distance between object and the light source




Point light



Spot light




Directional light



Area light

Local Illumination

- Only consider the light, the observer position, and the object material properties





Global Illumination

□ Take into account the interaction of light from all the surfaces in the scene


□ Example:

- Ray Tracing
- Model light rays bouncing around



Global Illumination (cont.)

- Example:
 - Radiosity
 - Model *energy* moving from emitters (e.g., lights) into the scene
 - View independent



Simple Local Illumination


- Reduce the complex workings of light to three components
 - Ambient
 - Diffuse
 - Specular

- Final illumination at a point (vertex) = ambient + diffuse + specular

- Materials reflect each component differently
 - Use different material reflection coefficients
 - K_a, K_d, K_s

Ambient Light Contribution

- Ambient light = background light
- Light that is scattered by the environment
 - It's just there
- **Frequently assumed to be constant**
- Very simple approximation of global illumination
- No direction: independent of light position, object orientation, observer's position/orientation




$$\text{Ambient} = I \times K_a$$

constant


Diffuse Light Contribution

- Diffuse light: The illumination that a surface receives from a light source that reflects equally in all direction
 - Eye point does not matter




Diffuse Light Calculation

- Need to decide how much light the object point receives from the light source
 - Based on **Lambert's Law**



Receive more light



Receive less light

Diffuse Light Calculation (cont.)


- Lambert's law: the radiant energy D that a small surface patch receives from a light source is:

$$\text{Diffuse} = K_d \times I \times \cos(\theta)$$

K_d : diffuse reflection coefficient


I : light intensity

θ : angle between the light vector and the surface normal




Diffuse Light Examples

$I = 1.0$



Specular Light Contribution

- The bright spot on the object
- The result of total reflection of the incident light in a concentrate region




Specular Light Calculation

- How much reflection you can see depends on where you are
 - But for non-perfect surface you will still see specular highlight when you move a little bit away from the ideal reflection direction

Φ is deviation of view angle from mirror direction

- When ϕ is small, you see more specular highlight




Specular Light Calculation (cont.)

- Phong lighting model
 - Not Phong *shading* model


$$\text{Specular} = K_s \times I \times \cos^f(\phi)$$

- The effect of 'f' in the Phong model

$f = 10$




$f = 90$



$f = 30$

$f = 270$

Specular Light Examples



Putting It All Together

- Illumination from a light

Illum = ambient + diffuse + specular

$$= K_a \times I + K_d \times I \times \cos(\theta) + K_s \times I \times \cos^f(\phi)$$

- If there are N lights


Total illumination for a point P = Σ (Illum)

- Some more terms to be added

- Self emission
- Global ambient
- Light distance attenuation and spot light effect

Putting It All Together (cont.)

□ **Illum = ambient + diffuse + specular**



Ambient Lighting Example



Diffuse Lighting Example




Specular Lighting Example



Polygon Shading Models


□ Flat shading

- Compute lighting once and assign the color to the whole polygon (or mesh)




Gouraud Shading


- ❑ Lighting is calculated for each of the polygon vertices
- ❑ Colors are interpolated for interior pixels




Colored Wireframe




Colored Hidden-Line Removal




Ambient Term Only




Flat Shading




Diffuse Shading + Interp. Normals




Gouraud Shading



Ambient + Diffuse + Specular



Ambient + Diffuse + Specular WPI + Interpolated Normals



Radiosity



Radiosity + Texture Mapping



Texture Mapping + Ray Tracing

